
Related Articles, Links



□ 1: EMBO J 1994 Mar 1;13(5):1197-204

Entrez PubMed
Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Browser
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources Order Documents NLM Gateway TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Privacy Policy

RNA binding specificity of hnRNP A1: significance of hnRNP A1 high-affinity binding sites in pre-mRNA splicing.

Burd CG, Dreyfuss G.

Howard Hughes Medical Institute, University of Pennsylvania School of Medicine, Philadelphia 19104-6148.

Pre-mRNA is processed as a large complex of pre-mRNA, snRNPs and pre-mRNA binding proteins (hnRNP proteins). The significance of hnRNP proteins in mRNA biogenesis is likely to be reflected in their RNA binding properties. We have determined the RNA binding specificity of hnRNP A1 and of each of its two RNA binding domains (RBDs), by selection/amplification from pools of random sequence RNA. Unique RNA molecules were selected by hnRNP A1 and each individual RBD, suggesting that the RNA binding specificity of hnRNP A1 is the result of both RBDs acting as a single RNA binding composite. Interestingly, the consensus high-affinity hnRNP A1 binding site, UAGGGA/U, resembles the consensus sequences of vertebrate 5' and 3' splice sites. The highest affinity 'winner' sequence for hnRNP A1 contained a duplication of this sequence separated by two nucleotides, and was bound by hnRNP A1 with an apparent dissociation constant of 1 x 10 (-9) M. hnRNP A1 also bound other RNA sequences, including pre-mRNA splice sites and an intron-derived sequence, but with reduced affinities, demonstrating that hnRNP A1 binds different RNA sequences with a > 100-fold range of affinities. These experiments demonstrate that hnRNP A1 is a sequencespecific RNA binding protein. UV light-induced protein-RNA crosslinking in nuclear extracts demonstrated that an oligoribonucleotide containing the A1 winner sequence can be used as a specific affinity reagent for hnRNP A1 and an unidentified 50 kDa protein. We also show that this

oligoribonucleotide, as well as two others containing 5' and 3' pre-mRNA splice sites, are potent inhibitors of in vitro pre-mRNA splicing.

PMID: 7510636 [PubMed - indexed for MEDLINE]

Display Abstract Show: 20 Sort Send to File

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

i686-pc-linux-gnu Dec 13 2002 14:22:59







Structure PopSet Taxonomy **OMIM** В Genome PubMed Nucleotide Protein ලා Preview V PubMed Search for Preview/Index Limits **History** Clipboard **Details**

About Entrez

Text Version

Entrez PubMed Overview Help | FAQ Tutorial New/Noteworthy E-Utilities

PubMed Services
Journals Database
MeSH Browser
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources Order Documents NLM Gateway TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Privacy Policy

- Search History will be lost after one hour of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.

Search	Most Recent Queries	Time	Result
#12	Related Articles for PubMed (Select 11809895)	16:46:50	112
#9	Search chick embryo AND hnRNP	16:30:19	<u>4</u>
#8	Search chick embryo ANA hnRNP	16:30:08	<u>0</u>
#6	Related Articles for PubMed (Select 10202157)	16:12:26	<u>140</u>
#3	Related Articles for PubMed (Select 7510636)	15:59:17	<u>211</u>
#1	Search embo j[jour] AND 13[volume] AND 1197[page] Field: Title Word	15:55:31	1



Write to the Help Desk
NCB! | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

i686-pc-linux-gnu Dec 13 2002 14:22:59